



www.doormansystem.ae

DOORMAN SERIES SSL 120

SUSPENDED PANORAMIC FLOOR-TO-CEILING WINDOW SERIES 4.0MM

— Safer, stronger bearing capacity, waterproof, sealed, and more aesthetically pleasing



SPOT COLOR

INNER COLOUR :



Galaxy Gray



Pearl Black



Mill Finished


OUTER COLOUR :



Galaxy Gray



Metallic Coffee




Mill Finished

DIMENSIONS (WxH)	AREA	MATERIAL
2600x2300	5.98m ²	6kg/m ²


SSL 120 SERIES

SUSPENDED PANORAMIC FLOOR-TO-CEILING WINDOW SERIES 4.0MM




F120-F1

Name:Top track
thickness:2.0mm
weight:1.48kg/m




F120-03

Name:Outer frame edge stop
thickness:2.0mm
weight:0.28kg/m




F120-F2X

Name:Bottom track
thickness:2.0mm
weight:1.8kg/m




F120-F3

Name:Vertical outer frame
thickness:2.0mm
weight:1.37kg/m




F120-F4

Name:Horizontal top/bottom frame & Full hidden light
thickness:3.0mm
weight:0.87kg/m




F120-36

Name:Reinforced Latching Stile
thickness:3.0mm
weight:1.39kg/m




F120-64

Name:Lower Base
thickness:3.0mm
weight:0.5kg/m




F120-XF4

Name:Horizontal bottom frame
thickness:3.0mm
weight:1.51kg/m



180-17


Name:Insert
thickness:2.0mm
weight:0.13kg/m



F120-F5


Name:Vertical frame
thickness:2.0mm
weight:1.78kg/m

Can be equipped with a password fingerprint lock or a key lock



F120-F5A


Name:Vertical frame with one handle
thickness:2.0mm
weight:1.48kg/m



F120-F6


Name:Mesh vertical frame
thickness:2.0mm
weight:1.67kg/m

Can be equipped with a password fingerprint lock or a key lock



F120-21

Name:Vertical support
thickness:4.0mm
weight:1.6kg/m




F120-22

Name:Vertical support glazing bead
thickness:3.0mm
weight:0.22kg/m


SSL 120 SERIES

SUSPENDED PANORAMIC FLOOR-TO-CEILING WINDOW SERIES 4.0MM




F120-14

Name:Outer frame glazing bead
thickness:1.2mm
weight:0.28kg/m




F120-15

Name:Sliding position outer frame cover plate
thickness:1.5mm
weight:0.18kg/m




F120-46

Name:Fixed position outer frame cover plate
thickness:1.2mm
weight:0.2kg/m




F120-10

Name:Horizontal bottom frame covered
thickness:1.5mm
weight:0.25kg/m



F120-11

Name:Horizontal bottom frame covered
thickness:1.5mm
weight:0.11kg/m




F120-83

Name:Fixed Glass Base
thickness:2.0mm
weight:0.6kg/m




F120-18

Name:Sink covered support part
thickness:1.6mm
weight:0.1kg/m




F120-F7

Name:Automatic two panels horizontal top track
thickness:2.5mm
weight:4.11kg/m




F120-44

Name:Motor window accessories
thickness:1.2mm
weight:0.49kg/m




F120-45

Name:Motor window sash connector
thickness:1.2mm
weight:0.54kg/m




F120-F8

Name:Large double openable vertical sealing frame
thickness:2.0mm
weight:2.0kg/m




F120-24

Name:Ultra-slim end cap vertical Frame
thickness:2.0mm
weight:1.16kg/m



F120-26

Name:No-corner vertical support
thickness:2.0mm
weight:1.16kg/m




F120-54

Name:Edged end cap
thickness:2.0mm
weight:1.47kg/m

SSL 120 SERIES

SUSPENDED PANORAMIC FLOOR-TO-CEILING WINDOW SERIES 4.0MM




120-75

Name: Movable Position Rail Pedal

thickness: 1.6mm

weight: 0.72kg/m


ASSEMBLY DRAWING



SSL 120 SERIES

SUSPENDED PANORAMIC FLOOR-TO-CEILING WINDOW SERIES 4.0MM

ASSEMBLY DRAWING




SSL 120 SERIES

SUSPENDED PANORAMIC DOOR SERIES 3.0MM

Safer, stronger bearing capacity, waterproof, sealed, and more aesthetically pleasing



SPOT COLOR

INNER COLOUR :			
	Galaxy Gray	Pearl Black	Mill Finished
OUTER COLOUR :			
	Galaxy Gray	Pearl Black	Mill Finished


TRACK	DIMENSIONS (WxH)	AREA	MATERIAL
two-track	2400x2000	4.8m ²	8kg/m ²
three-track	2400x2000	4.8m ²	12kg/m ²

PRODUCT CHARACTERISTICS

1. Linear sloped high-low track design
2. Intelligent electric opening
3. Sash edges can incorporate screens
4. Double-row stainless steel pulleys
5. Custom multi-track configurations


SSL 120 SERIES

SUSPENDED PANORAMIC DOOR SERIES 3.0MM




F120-F9

Name:Top track
thickness:2.0mm
weight:1.6kg/m




F120-XS01

Name:Bottom track
thickness:2.0mm
weight:2.45kg/m



F120-59

Name:Bottom track step plate
thickness:3.0mm
weight:0.24kg/m




F120-64

Name:Horizontal bottom frame base for roller
thickness:3.0mm
weight:0.5kg/m




F120-60

Name:Horizontal bottom frame covered
thickness:2.0mm
weight:0.12kg/m




F120-XF4

Name:Horizontal bottom frame
thickness:3.0mm
weight:1.51kg/m




F120-F11

Name:Vertical outer frame
thickness:2.0mm
weight:1.4kg/m




F120-F7

Name:Automatic two panels horizontal top track
thickness:2.5mm
weight:4.11kg/m




F120-45

Name:Motor window sash connector
thickness:1.2mm
weight:0.54kg/m




F120-43

Name:Motor door accessories
thickness:1.2mm
weight:0.51kg/m




F120-F12

Name:Three panels horizontal top track
thickness:2.0mm
weight:1.95kg/m




F120-F13

Name:Three panels vertical outer frame
thickness:2.0mm
weight:1.95kg/m




F120-XS02

Name:Three panels horizontal bottom track
thickness:2.0mm
weight:3.55kg/m




F120-F4

Name:Horizontal top/bottom frame & Full hidden light
thickness:3.0mm
weight:0.87kg/m




180-17

Name:Bottom Insert
thickness:2.0mm
weight:0.132kg/m




F120-36

Name:Vertical interlock frame
thickness:3.0mm
weight:1.39kg/m




F120-F5

Name:Vertical frame
thickness:2.0mm
weight:1.78kg/m



F120-F5A

Name:Vertical frame with one handle
thickness:2.0mm
weight:1.48kg/m




F120-F6

Name:Mesh vertical frame
thickness:2.0mm
weight:1.67kg/m




F120-37

Name:Vertical interlock frame
thickness:3.0mm
weight:0.95kg/m




F120-38

Name:Double vertical interlock frame
thickness:3.0mm
weight:1.06kg/m




F120-18

Name:Sink covered support part
thickness:1.6mm
weight:0.1kg/m




180-21

Name:Sink cover
thickness:2.0mm
weight:0.56kg/m




F120-17

Name:Sink cover
thickness:2.0mm
weight:0.764kg/m




F120-F8

Name:Large double openable vertical sealing frame
thickness:2.0mm
weight:2.0kg/m




F120-24

Name:Very narrow closure
thickness:2.0mm
weight:1.16kg/m




F120-39

Name:Edge Seal Cover Plate
thickness:1.1mm
weight:0.289kg/m




F120-40

Name:Mesh base
thickness:1.1mm
weight:0.41kg/m




YLF150-23

Name:Very narrow set of wires
thickness:2.0mm
weight:0.75kg/m




F120-03

Name:Electric upper rail flange
thickness:2.0mm
weight:0.28kg/m




F120-26

Name:No Corner Column
thickness:2.0mm
weight:1.16kg/m




F120-F16

Name:Below the Low Rail
thickness:2.0mm
weight:1.24kg/m




F120-66

Name:Low Rail
thickness:2.0mm
weight:0.82kg/m




F120-65

Name:Base Below the Marble / Marble Underside Base
thickness:3.0mm
weight:0.59kg/m




F120-61

Name:Marble Cover Plate / Marble Cover
thickness:2.0mm
weight:0.18kg/m




F120-62

Name:Marble Cover Plate / Marble Cover
thickness:2.0mm
weight:0.36kg/m




F120-08

Name:Lock Base
thickness:1.2mm
weight:0.39kg/m




F120-54

Name:Edged Trim
thickness:2.0mm
weight:1.47kg/m




F120-66A

Name:Waterproof low rail
thickness:2.0mm
weight:1.85kg/m




F120-69

Name:6.0 Vertical interlock frame
thickness:6.0mm
weight:2.63kg/m



F120-F5H

Name:4.0 Vertical interlock frame
thickness:4.0mm
weight:3.2kg/m




F120-47

Name:The square in the middle of the gauze fan
thickness:2.0mm
weight:0.4kg/m


SSL 120 SERIES

SUSPENDED PANORAMIC DOOR SERIES 3.0MM




F150-73

Name: Optional stainless steel mesh/high-transparency mesh
thickness: 2.5mm
weight: 0.41kg/m




F150-74

Name: Yarn pressure cover
thickness: 0.8mm
weight: 0.1kg/m




F120-59A

Name: One Fixed and One Movable Cover Plate
thickness: 1.2mm
weight: 0.35kg/m




F120-59C

Name: Vertical frame with one handle
thickness: 2.0mm
weight: 0.43kg/m




F120-M01

Name: Glass Opening Transition Strip
thickness: 1.4mm
weight: 0.29kg/m




F120-F14V

Name: Waterproof Triple Lower Rail
thickness: 2.0mm
weight: 2.61kg/m




F120-71

Name: Mesh Vertical Frame
thickness: 3.0mm
weight: 1.95kg/m




F120-72

Name: Mesh vertical interlock frame
thickness: 3.0mm
weight: 1.42kg/m




F120-73

Name: Mesh Horizontal top frame
thickness: 3.0mm
weight: 1.04kg/m




F120-74

Name: Mesh Horizontal bottom frame
thickness: 3.0mm
weight: 1.67kg/m



F120-76

Name: Large double openable vertical sealing frame
thickness: 2.0mm
weight: 0.25kg/m



T120-32


Name: Triple Lower Rails
thickness: 2.0mm
weight: 1.61kg/m

Either Diamond Mesh or High-Transparency Mesh is Acceptable


SSL 120 SERIES

SUSPENDED PANORAMIC DOOR SERIES 3.0MM



ASSEMBLY DRAWING




Water Retaining Rail Solution



Low Track Plan



Aluminum Alloy Track Plan




Marble/Porcelain Tile/Wood Flooring Track Plan

SSL 120 SERIES

SUSPENDED PANORAMIC DOOR SERIES 3.0MM

ASSEMBLY DRAWING



5

SSL 120 SERIES

SUSPENDED PANORAMIC DOOR THREE-RAIL SERIES 3.0MM

ASSEMBLY DRAWING

